



\*\*\*\*\*





## **GENERAL FEATURES**

Our disc ploughs are being produced with 3-4 and 5 rows in conformity with the current agriculture conditions. The disc ploughs are produced to work in every type of soil by the basic principles such as soil breaking, soil raising, soil turning and soil mixing. Disc ploughs are used for unplowed fields and for processing the stony areas. It avoids the occurance of the big holes and the upper part of furrow becoming muddy while processing that areas. It can not be stopped up with grass, helves and solid fertilizer. In addition, they can be used easily at rocky and rooted areas. Upon this feature, the damage that may occur in disc ploughs and tractor can be prevented.

## **TECHNICAL DETAILS**

CODE	NUMBER OF DISC	WORKING DEPTH (CM)	WORKING WIDTH (CM)	DISC SPACE (MM)	DISC DIAMETER (MM)	WEIGHT (KG)	REQUIRED POWER (HP)
SMDP-2	2	MAX 25	66	53	660	310	20-40
SMDP-3	3	MAX 25	99	53	660	400	40-60
SMDP-4	4	MAX 25	132	53	660	470	60-80
SMDP-5	5	MAX 25	165	53	660	540	80-100







HEAD OFFICE

**FACTORY** 

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G 42050 Karatay/Konya/TURKEY Add: Büyükkayacık Osb, Yaylacık Cd. No: 23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 290 00 20 F: +90 332 290 00 19 T: +90 332 239 18 85 T: +90 332 239 18 86 F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



